

PURPOSE OF USE

Cover for a channel body of a drainage system with a slot-shaped water inlet, for use in areas where a slot drainage is required for aesthetic reasons.

DESIGNS

Material

- / Slot attachment made of galvanised steel
- / Slot attachment made of stainless steel

Dimensions

- / Length 1000 mm
- / Length 500 mm
- / Neck height 110 mm
- / Slot width 15 mm

In-feed cross-section

- / 150.0cm²/m without dirt trap
- / 79.2cm²/m with dirt trap

ACCESSORIES

- / Revision attachment
- / Dirt trap grating
- / Assembly tool


MEA TSL 100 TOPSLOT

A 15, B 125

CW 100

MEA TSL 100 TOPSLOT

MEA TSL 100 TOPSLOT suitable for channel systems **MEARIN PLUS/EXPERT 100, MEADRAIN EN 1000, MEADRAIN SV/SE/SG 1000, MEADRAIN SVF/SEF/SGF 1000, MEATEC 130** and **MEAHOME PLUS**. Covers all ranges of applications. Loading classes A 15 to B 125 according to EN 1433. Load capacity according to specification, when installed according to the MEA installation instructions.



010140728

MEA TSL 100 TOPSLOT LATERAL, GALVANISED STEEL, NECK HEIGHT 110 MM, LOADING CLASS B 125 ACCORDING TO EN 1433

Description	Order No.	Material	Length [mm]	Inlet sect. area Ø cm ² /m above	kg/unit
MEA TSL 100.0 / 110 TOPSLOT-B-vz-1 m-lateral	010140728	Galv. steel	1000	130	4,50
MEA TSL 100.1 / 110 TOPSLOT-B-vz-0,5 m-lateral	010140736	Galv. steel	500	130	2,27

MEA TSL 100 TOPSLOT LATERAL, STAINLESS STEEL, NECK HEIGHT 110 MM, LOADING CLASS B 125 ACCORDING TO EN 1433

Description	Order No.	Material	Length [mm]	Constructive height [mm]	kg/unit
MEA TSL 100.0 / 110 TOPSLOT-B-stainl. steel-1 m-lateral	010140732	Stainl. steel	1000	130	4,50
MEA TSL 100.1 / 110 TOPSLOT-B- stainl. steel -0,5 m-lateral	010140738	Stainl. steel	500	130	2,27
MEA TSL 100.R / 110 Revision attachment-B- stainl. steel-0,5 m-lateral	010140734	Stainl. steel	500	130	4,00
MEA TSL 100.0 / 110 TOPSLOT-B-V4A-1 m-lateral	010140733	Stainl. steel	1000	130	4,50
MEA TSL 100.1 / 110 TOPSLOT-B-V4A-0,5 m-lateral	010140739	Stainl. steel	500	130	2,27
MEA TSL 100.R / 110 Revision attachment -B-V4A-0,5 m-lateral	010140735	Stainl. steel	500	130	4,00

MEA TSL 100 TOPSLOT

A 15, B 125

CW 100

**BUILDING SUCCESS****MEA TSL 100 TOPSLOT ACCESSORIES**

Description	Order No.	Material	Length [mm]	Constructive height [mm]	kg/unit
MEA TSL Grate hook for TOPSLOT, 2 pieces required	010152113	Galv. steel	-	-	0,28
MEA TSL 100.T0-Dirt trap grating- stainl. steel -1 m	010712481	Stainl. steel	1000	10	0,16
MEA TSL 100.T1-Dirt trap grating- stainl. steel -0,5 m	010712485	Stainl. steel	500	10	0,08

This edition of the technical data sheet shall be valid from November 2020 until a revised version is published and replaces any previous publications. The current version is available for download at www.mea-group.com.

MEA Bautechnik GmbH
 Business Unit MEA Water Management
 Sudetenstraße 1
 86551 Aichach
 Tel.: +49 (0) 82 51. 91 0
 Fax: +49 (0) 82 51. 91 13 06
 E-Mail: info@mea-group.com
www.mea-group.com